This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

 (21) International Application Number: PCT/EP94/00146 (22) International Filing Date: 19 January 1994 (19.01.94) (30) Priority Data: 9301270.6 22 January 1993 (22.01.93) GB (71) Applicant (for AU BB CA GB IE LK MN MW NZ SD only): UNILEVER PLC [GB/GB]; Unilever House, Blackfriars, London EC4P 4BQ (GB). (71) Applicant (for all designated States except AU BB CA GB IE LK MN MW NZ SD): UNILEVER N.V. [NL/NL]; Weena 455, NL-3013 AL Rotterdam (NL). (72) Inventors: MOULD, Roy, Arthur, Stedman; 6 Moseley Road, Spital, Merseyside L63 9NT (GB). SALMON, Tom, Matthew, F.; Viale Risorgimento, 33/b, I-29100 Piacenza (IT). (74) Agent: BRYANT, Tracey; Unilever plc, Patent Division, Colworth House, Shambrook, Bedford MK44 1LQ (GB).

(57) Abstract

An aqueous dilution-thickening, concentrated personal washing composition comprises: a) 20-60 wt% surfactant other than soap or primary alcohol sulphate; and b) 1-20 wt% electrolyte, the ratio of electrolyte to surfactant being sufficient to form a lamellar phase. It has a viscosity which is low enough for processing, packaging and dispensing and thicken in use to a sufficiently high viscosity that does not run off the skin or hair when applied thereto.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB_	United Kingdom	MR	Mauritania
AU	Australia	GE_	Georgia	MW	Malawi
		-	_	NE	****
BB	Barbados	GN	Guinea		Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	Œ	Ireland	NZ	New Zealand
BJ	Benin	. 11	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Keuya	RO	Romania
CA	Canada	KG	Kyrgystan	RU	Russian Pederation
CF	Central African Republic	KP	Democratic People's Republic	SD	Sudan
CG	Congo		of Korea	SE	Sweden
CH	Switzerland	KR	Republic of Korea	SI	Slovenia
CI	Côte d'Ivoire	KZ	Kazakhstan	SK	Slovakia
CM	Cameroon	LI	Liechtenstein	SN	Senegal .
CN	China	LK	Sri Lanka	TD	Chad
cs	Czechoslovakia	LU	Luxembourg	TG	Togo
CZ	Czech Republic	LV	Latvia	TJ	Tajikistan
DE	Germany	MC	Monaco	TT	Trinidad and Tobago
DK	Denmark	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	US	United States of America
FI	Finland	ML	Mali	UZ	Uzbekistan
FR	France	MN	Mongolia	VN	Vict Nam
GA	Gabon		-		

1

5

10

15

20

25

30

DILUTION-THICKENING, PERSONAL WASHING COMPOSITION

The invention relates to dilution-thickening, personal washing compositions, suitable for washing of skin and/or hair.

Commercially available personal washing compositions, i.e. shower gels, facial cleansers and hair shampoos, generally comprise 15-20%wt surfactant. These compositions typically have a viscosity in the range 2-10 Pascal seconds, and become less viscous on dilution. At these lower viscosities, the composition tends to run off, or be washed rapidly off, body surfaces to which it is applied, leading to wastage of the product.

For reasons of economy of packaging, storage, distribution and portability, it is desirable to produce more concentrated products. At higher product concentrations, losses due to run-off become even more significant, it is therefore desirable to thicken the products so as to prevent or reduce run-off. However, thick products are more difficult to process, package and dispense.

In view of the above, products should have a viscosity which is low enough for processing, packaging and dispensing, but sufficiently high that the products do not run off the skin or hair when applied. In addition to this, products need to be stable over a range of temperatures, homogeneous and comprise formulations which can suffer small variations in raw material properties without loss of stability and performance. Furthermore, products should be mild to the skin when used.

Japanese patent application JP 63-270533 (Shiseido KK)
discloses the formulation of facial cleansers which
thicken on addition of a small quantity of water. The

2

5

10

25

30

compositions disclosed by way of example are based on around 40% of soaps or primary alcohol sulphates as anionic surfactant, water and 10-25% of a polyhydric alcohol, preferably propylene glycol as hydrotrope. In some instances, the examples require the use of triethanolamine as a solubiliser for the soap.

Soaps and primary alcohol sulphates are particularly harsh surfactants, and it is desirable to employ less harsh surfactants in personal washing compositions. For the purposes of the present application the term 'soaps' includes alkali metal or alkanol ammonium salts of aliphatic alkane or alkene monocarboxylic acids.

Many less harsh, i.e. more mild, surfactants are known, however, these surfactants, unlike fatty acid soaps, are impossible to obtain in a relatively anhydrous form in commercial quantities, and are generally supplied as an admixture with water, typically as 30-40%w/w solutions.

The presence of excess water in the raw materials leads to formulation difficulties, particularly where the desired concentration levels are above 30% surfactant on product.

Moreover, the use of high levels of hydrotrope, such as the above-mentioned polyhydric alcohols is not desirable for reasons of cost and further limits the formulation space available.

In addition, triethanolamine (TEA) is not a preferred ingredient for personal washing compositions due to the potential for contaminants present in the TEA to form nitrosamines.

We have determined that stable dilution-thickening, and in particular concentrated, washing composition suitable for use on skin or hair can be manufactured using mild,

3

synthetic surfactants, electrolyte and water, without requiring the presence of triethanolamine or polyhydric alcohols.

- Accordingly, the present invention provides an aqueous, stable dilution-thickening, concentrated, washing composition comprising:
- a) 20-60wt% surfactant other than soap or primary10 alcohol sulphate, and,
 - b) 1-20wt% electrolyte, the ratio of electrolyte to surfactant being sufficient to form a lamellar phase.
- 15 It is believed that the compositions of the prior art, i.e. known shower gels, are viscous due to the formation of a hexagonal or viscous rod phase in the products, due to the interaction of the lower levels of surfactant and electrolyte. Compositions of the present invention are selected such that a relatively low-viscosity, lamellar phase is formed in the undiluted products. These concentrated products can therefore be packaged and dispensed with ease. On addition of water, a viscous rod phase or hexagonal phase is formed, preventing or reducing run-off.

Typically, compositions according to the present invention comprise 30-60% surfactant. As mentioned above, conventional shower gels comprise up to around 25% surfactant. Products with higher levels of surfactant are desirable due to economies in packaging, storage and transportation.

Generally, the compositions according to the present invention are free of triethanolamine, hydrotropic

30

5

10

15

30

polyhydric alcohols and mixtures thereof. These components are undesirable for the reasons given above.

Preferably, the surfactant comprises at least one anionic surfactant.

Preferred levels of anionic surfactant are such that the anionic comprises 10-100wt% of the total surfactant system. Particularly preferred levels of anionic range from 50-90wt%, more preferably 70-90% of the total surfactant system.

Suitable anionic surfactants are selected from the group comprising: fatty acid ether sulphates, alpha-olefin sulphonates, fatty isethionates, alkyl glyceryl ether sulphonates, mono-alkyl glyceryl sulphates, alkyl sarcosinates, alkyl taurides, alkyl and dialkyl sulphosuccinates, alkyl phosphates, and mixtures thereof.

- Preferred amongst the anionic surfactants are fatty acid ether sulphates, particularly lauryl ether sulphate salts such as sodium lauryl ether sulphate (SLES). Alternative, preferred anionic surfactants include alkyl sulphosuccinate and fatty isethionates.
- As mentioned above, sodium lauryl ether sulphate (SLES) is particularly preferred as the anionic surfactant. SLES is a mixture of compounds having a mean chain length of from $C_{10}-C_{14}$, generally around C_{12} and is commercially available in a concentrated form.

Preferably, compositions according to the present invention further comprise a synergistic mildness active (coactive).

More preferably, the synergistic mildness active is selected from the group consisting of anionic surfactants,

5

nonionic surfactants, amphoteric surfactants and mixtures thereof.

When present, the synergistic mildness active should be present at a level of at least 5%wt of the total active level as little or no synergy is noted at lower levels. Particularly useful compositions comprise 10-40%wt, preferably 15-30%wt, more preferably around 20%wt of synergistic mildness active on total actives.

10

5

Suitable nonionic surfactants include:- polyethoxylated alcohols, polyethoxylated alkyl phenols, alkyl polyglycosides, sorbitan esters, polysorbates, alkanolamides, poloxamers, and mixtures thereof.

Preferred amongst the nonionic surfactants are polyethoxylated alcohols, particularly C_8 - C_{18} ethoxylates of 3-25 EO and alkylpolyglycosides. The most preferred ethoxylates have an average alkyl chain length of 12-16 carbons and an average ethoxylate content of 4-20 units.

20

Suitable amphoteric surfactants include: - amine oxides, aminimides, betaines, amido betaines and sulpho betaines, and mixtures thereof. Coco-amidopropyl betaines are particularly preferred due to their low potential nitrosamine-precursor content and mildness properties.

25

Suitable anionic co-actives include the sulphosuccinates, preferably the mono-alkyl sulphosuccinates with or without a linking group between the alkyl tail and the head group. Coco-alkylolamide sulphosuccinates are particularly preferred.

The most preferred synergistic mildness actives are the betaines, particularly coco-amidopropyl betaines.

35

6

Particularly preferred compositions according to the present invention comprise:

5

20

25

- a) 30-60wt% surfactant, comprising a mixture of at least one betaine and at least one anionic surfactant other than soap or primary alcohol sulphate, in a ratio of 1:1 to 1:10, and,
- b) 1-20wt% electrolyte, the ratio of electrolyte to
 surfactant being sufficient to form a lamellar phase.

Specific embodiments of the present invention comprise:

- a) 30-60wt% surfactant, comprising a mixture of at least one betaine and a fatty acid ether sulphate salt, preferably in a ratio of 1:1 to 1:10 and,
 - b) 1-20wt% electrolyte, the ratio of electrolyte to surfactant being sufficient to form a lamellar phase.

More particularly, preferred embodiments of the invention comprise 40-60%wt of a surfactant system comprising 4-5 parts fatty acid ether sulphate in combination with 1-2 parts of a co-active selected from the group comprising, coco-amido propyl, betaine, coco-alkylolamide sulphosuccinate, alkyl ethoxylated sulphosuccinate, 12-16 carbons, 4-20 EO alcohol ethoxylates, alkyl poly-glycoside and mixtures thereof.

A wide range of electrolytes are suitable. Preferred electrolytes are selected from the group comprising alkali metal or ammonium halides, particularly chlorides. Sodium chloride is the most preferred electrolyte, and is preferably present in a ratio to the surfactant of 1:10 salt:surfactant although the precise limits of the range

7

within which the lamellar phase will be formed will vary with the type of surfactant used.

Preferred compositions according to the present invention further comprise at least one skin or hair conditioning agent.

10

15

20

25

30

Preferred polymeric conditioning agents are the cationic, anionic, amphoteric, and the nonionic polymers used in the cosmetic field. Reduced skin irritation benefits as measured by patch testing of cationic and nonionic types of polymers are set out in "Polymer JR for Skin Care" Bulletin, by Union Carbide, 1977. The cationics are preferred over the others because they provide better skin feel benefits.

Suitable cationic polymers employed in this invention also provide a desirable silky, soft, smooth in-use feeling. The preferred level for this invention is 0.1-5% of the composition. There is reason to believe that the positively charged cationic polymers can bind with negatively charges sites on the skin to provide a soft skin feel after use. Not to be bound by any theory, it is believed that the greater the charge density of the cationic polymer, the more effective it is for skin feel benefits.

Typically, the cationic polymer is water soluble and has a cationic charge density (as defined in US patent 3580853) greater than 0.0001 in aqueous solution. Preferred levels of cationic polymers range from 0.1-5wt% as mentioned above, and are preferably present at a level of around 1wt%

35 Cationic charge density refers to the ratio of the number of positive charges on a monomeric unit of which the

PCT/EP94/00146

polymer is comprised to the molecular weight of said monomeric unit.

Other suitable cationic polymers are copolymers of dimethyl-amino-ethyl-methacrylate and acrylamide and copolymers of dimethyl-diallyl-ammonium chloride and acrylamide in which the ratio of the cationic to neutral monomer units has been selected to give a copolymer having a cationic charge. Yet other suitable types of cationic polymers are the cationic starches, e.g., Sta-Lok⁸300 and 400 made by Staley, Inc.

Preferred silicones are essentially insoluble silicones, in order that they do not affect the rheology of the system by thinning the compositions.

Particularly preferred embodiments of the present invention comprise:

- 20 a) 30-50wt% surfactant, comprising a mixture of at least one betaine and a fatty acid ether sulphate salt, preferably in a ratio of 1:1 to 1:10 and,
- b) 3-10wt% electrolyte, the ratio of electrolyte to surfactant being sufficient to form a lamellar phase, and,
- c) 0.1-5wt% guar hydroxy propyl tri-methyl ammonium chloride polymer having a cationic charge density
 greater than 0.0001 in aqueous solution.

In addition to the above, compositions according to the present invention can comprise a non-hydrotrope polyol, preferably glycerol.

5

10

9

Minor components are inessential but typical components of personal washing compositions. These can be selected from one or more of opacifiers, preferably 0.2-2.0%wt; preservatives and perfumes, preferably 0.5-5 wt%.

5

10

Examples of preservatives include: ethanol, benzoic acid, sodium benzoate, sorbic acid, potassium sorbate, sodium propionate and the methyl, ethyl, propyl and butyl esters of p-hydroxybenzoic acid 2-bromo-2-nitropropane-1, 3-diol, phenoxyethanol, dibromodicyanobutane, formalin and Tricolsan. The amount of chemical preservative optionally to be incorporated in the composition according to the

invention will generally be from 0.05 to 5%, preferably

from 0.01 to 2% by weight, the amount chosen being sufficient to arrest microbial proliferation.

Optional further components include colouring agents, germicides and anti-oxidants.

It should be noted that these additional, technically inessential components can contain salts which may interfere with the overall electrolyte balance of the products and consequently the salt levels in these components should be taken into account.

25

In order that the invention may be further understood it will be illustrated hereafter by way of example.

30 **EXAMPLES**:

In the following examples the materials used are as listed below, all percentages are by weight:

	SLES:	GENAPOL ZRO (RTM ex. Hoechst) sodium lauryl ether sulphate, average 3EO, 70% paste: anionic surfactant.
5	SULP:	REWOPOL SBC212P (RTM ex. REWO) coco- alkylolamide sulphosuccinate, 95-100% powder: anionic surfactant, used as co- active.
10	ESUL:	REWOPOL SBFA30 (RTM ex. REWO) alkyl ethoxylated sulphosuccinate, 40% solution: anionic surfactant, used as co-active.
15	CAPB:	REWOTERIC AMB14 (RTM ex. REWO) coco-amido propyl betaine, 30% aqueous solution: amphoteric surfactant, used as a co-active.
20	NONA:	BRIJ-58 (RTM ex. ATLAS) C_{16} -EO-20 average, alcohol ethoxylate, 100% waxy solid: nonionic surfactant, used as a co-active.
25	NONB:	BRIJ-30 (RTM ex. ATLAS) C_{12} -EO-4 average, alcohol ethoxylate, 100% liquid: nonionic surfactant, used as a co-active.
25	APG:	ORAMIX NS-10 (RTM ex. SEPPIC) an alkyl poly-glycoside, 52% aqueous solution.
30	NaCl:	Sodium chloride: electrolyte.
30	NH4CL:	Ammonium chloride: électrolyte.
35	GUM:	JAGUAR C13-S (RTM): Guar hydroxy propyl tri-methyl ammonium chloride, 100% solid, available in the marketplace from Meyhall (Rhone-Poulenc).

11

PERF: Commercially available perfume.

Preservative (formalin): PRES:

5 EXAMPLES 1-12:

10

20

25

Compositions were prepared as given in Table 1 below, by mixing of the ingredients as specified, other than the SLES, in an aqueous mixture at room temperature and final addition of the SLES as a 70% paste, as supplied, also at room temperature. All additions were made under mild shear. All quantities are given in absolute terms accounting for water present in the raw materials, but not accounting for other impurities except as mentioned below.

15 Comparative examples are indicated by an asterisk.

> The composition of Example 5, containing the guar gum (GUM), was prepared as follows: 40%wt of the salt was mixed together with the CAPB, PRES and PERF at low shear. Separately, the balance of the water, balance of the salt, the GUM and a small quantity of alkali (0.03% KOH on product) were combined. In combining the second admixture it was considered important that the alkali was added to the water and salt prior to the GUM in order to prevent gelation of the GUM. The two pre-mixes were combined under low shear, and the SLES added as the final component.

12

7.5 0.1 12 28 0.1 8 ~ 10* 10 œ 0.1 7.5 ~ σ 32 ∞ 0.1 S 7. ~ ω 39 9 -to 1008---36 2 ~ σ ω EXAMPLE 0.1 9 ~ 9 σ 0.1 ß σ 2 36 σ 4 0.1 36 ~ ന 4 36 σ 3 3 0.1 36 σ 7 ~ Water CAPB PRES SLES NaC1 PERF GUM

Table 1

13

The compositions of examples 1 and 10 did not exhibit suitable rheology. In Example 1, insufficient salt was believed to be present and the product was believed to form a viscous, near solid, possibly hexagonal phase.

5

In example 10, too much salt was present and the required lamellar phase was not formed. It was noted that the formulation of example 10 formed a lamellar phase in the absence of the perfume component.

10

The compositions of Examples 2-9 and 11-12 were pourable liquids which perceptibly thicken when used in a hand washing procedure (0.5-2 ml of product applied to the hands when wet).

15

20

25

EXAMPLES 13-20:

Compositions were prepared as given in Table 2 below, by mixing of the ingredients as specified, other than the SLES, in an aqueous mixture at room temperature and addition of the SLES as a 70% paste, as supplied, also at room temperature. All additions were made under mild shear. All quantities are given in absolute terms accounting for water present in the raw materials, but not accounting for other impurities. Comparative examples are again indicated by an asterisk.

TABLE 2

EXAMPLE								
	13	14	15	16	17	18	19	20
					a l			
SLES	40	40	48	40	48	48	40	40
SULP	10	_	_	_			-	_
ESUL		10	-				-	_
<u> </u>								
APG	-		12	10		-		-
NONA	-			_	12	12	-	_
NONB	-			-	_	-	10	10
NaC1	-	-	5	5	5	4	3	5
NH4C1	5	4	_	-	-			_
							_	
PERF	2	2	2	2	2	2	2	2
PRES	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Water				to 10	08			

The compositions of Example 20 did not exhibit suitable rheology as too much salt was believed present and the required lamellar phase was not formed.

The compositions of Examples 13-19 were pourable liquids which perceptibly thicken when used in a hand washing procedure (0.5-2 ml of product applied to the hands when wet).

WO 94/16680

5

15

35

CLAIMS

- 1. An aqueous, stable dilution-thickening, concentrated, personal washing composition comprising:
- a) 20-60wt% surfactant other than soap or primary alcohol sulphate, and,
- b) 1-20wt% electrolyte, the ratio of electrolyte to surfactant being sufficient to form a lamellar phase.
 - 2. Composition according to claim 1 comprising 30-60wt% surfactant.
- Composition according to claim 1 wherein the surfactant comprises 50-90% of at least one anionic surfactant.
- 20 4. Composition according to claim 3 wherein the at least one anionic surfactant comprises one or more of fatty acid ether sulphate, alkyl sulphosuccinate and fatty isethionate.
- 5. Composition according to claim 1 further comprising 5-40%wt on surfactant of a synergistic mildness active selected from the group comprising polyethoxylated alcohols, polyethoxylated alkyl phenols, alkyl polyglycosides, sorbitan esters, polysorbates, alkanolamides, poloxamers, amine oxides, aminimides, betaines, ámido betaines and sulpho betaines, sulphosuccinates and mixtures thereof, provided that the synergistic mildness active and the remaining surfactant do not both

comprise the same compound.

5

10

15

- 6. Composition according to the claim 1 comprising:
 - a) 30-60wt% surfactant, comprising a mixture of at least one betaine and at least one anionic surfactant other than soap or primary alcohol sulphate, in a ratio of 1:1 to 1:10, and,
 - b) 1-20wt% electrolyte, the ratio of electrolyte to surfactant being sufficient to form a lamellar phase.
- 7. Composition according to claim 6 wherein the at least one anionic surfactant other than soap or primary alcohol sulphate is a fatty acid ether sulphate salt.
- 8. Composition according to claim 1 further comprising at least one skin or hair conditioning agent.
 - 9. Composition according to claim 8 comprising:
 - a) 30-50wt% surfactant, comprising a mixture of at least one betaine and a fatty acid ether sulphate salt in a ratio of 1:1 to 1:10 and,
- 25 b) 3-10wt% electrolyte, the ratio of electrolyte to surfactant being sufficient to form a lamellar phase, and,
- c) 0.1-5wt% guar hydroxy propyl tri-methyl ammonium
 chloride polymer having a cationic charge
 density greater than 0.0001 in aqueous solution.

b stional Application No PCT/EP 94/00146

A. CLASS IPC 5	SIFICATION OF SUBJECT MATTER A61K7/50		
According	to International Patent Classification (IPC) or to both national clas	safication and IPC	
B. FIELD	S SEARCHED		
IPC 5	documentation searched (classification system followed by classific A61K	ation symbols)	
Documenta	tion searched other than minimum documentation to the extent tha	t such documents are included in the field	is searched
Electronic	data base consulted during the international search (name of data b	ase and, where practical, search terms use	d)
C. DOCUM	MENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the	relevant passages	Relevant to claim No.
E	WO,A,94 03152 (UNILEVER PLC) 17 1994 see the whole document	February	1-9
E	WO,A,94 03146 (L'OREAL) 17 Febru see the whole document	ary 1994	1-8
P,X	WO,A,93 25650 (HENKEL KGAA) 23 D 1993 see the whole document	december	1-9
P,X	EP,A,O 572 776 (HÜLS AKTIENGESEL December 1993 see the whole document	LSCHAFT) 8	1-8
P,X	EP,A,O 542 526 (UNILEVER PLC.) 1 see the whole document	9 May 1993	1-5,8
į		-/	
X Furt	her documents are listed in the continuation of box C.	Patent family members are liste	d in annex.
* Special ca	tegories of cated documents :	"T" later document published after the i	nternational filing date
	ent defining the general state of the art which is not	or priority date and not in conflict cited to understand the principle or	
"E" cartier	ered to be of particular relevance document but published on or after the international	'X' document of particular relevance; to	
'L' docum	ent which may throw doubts on priority claim(s) or	cannot be considered novel or can involve an inventive step when the	
GIND	is cited to establish the publication date of another n or other special reason (as specified)	'Y' document of particular relevance; to cannot be considered to involve an	inventive step when the
other i		document is combined with one or ments, such combination being ob- in the art.	
"P" docum	ent published prior to the international filing date but nan the priority date claimed	'&' document member of the same pate	nt family
Date of the	actual completion of the international search	Date of mailing of the international	•
1	3 June 1994	7	
Name and r	nailing address of the ISA	Authorized officer	
	European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk		
	Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,	Couckuyt, P	

1 .national Application No PCT/EP 94/00146

Contact	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	PCT/EP 94/00146
degory *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
		37-11-C
X	EP,A,O 281 027 (HENKEL KGAA) 7 September 1988 see example 5	1-5
X	EP,A,O 379 658 (DEUTSCHE SOLVAY-WERKE GMBH) 1 August 1990	1-5,8
	see the whole document	
X	EP,A,O 288 919 (HENKEL KGAA) 2 November 1988 see the whole document	1-5,8
x	WO,A,92 08440 (UNILEVER PLC.) 29 May 1992 see the whole document	1-8
A i	EP,A,O 246 854 (LINGNER + FISCHER GMBH) 25	1,8
	November 1987 see the whole document	
4	EP,A,O 346 993 (UNILEVER PLC.) 20 December 1989 see the whole document	1
١	EP,A,O 291 262 (UNILEVER PLC.) 17 November 1988	1
	see the whole document	
	•	
ŀ		
1		
	,	
	•	
	•	
- 1		

Information on patent family members

mational Application No
PCT/EP 94/00146

Publication date			Publication date
17-02-94	AU-B-	4706893	03-03-94
17-02-94	FR-A-	2694191	04-02-94
23-12-93	AU-B-	4408893	04-01-94
08-12-93	DE-A-	4217673	02-12-93
	NO-A-	931967	30-11-93
19-05-93	AU-A-	2831992	13-05-93
	CA-A-	2082474	13-05-93
	JP-A-	5222399	31-08-93
07-09-88	DE-A-	3707014	15-09-88
	JP-A-	63236527	03-10-88
01-08-90	DE-A-	3902374	02-08-90
	JP-A-	2233800	17-09-90
	US-A-	5130056	14-07-92
02-11-88	DE-A-	3714455	10-11-88
	DE-A-	3868677	09-04-92
	JP-A-	63284121	21-11-88
	US-A-	4898690	06-02-90
29-05-92	AU-A-	8696791	14-05-92
	AU-B-	644031	02-12-93
	AU-A-	8861991	11-06-92
	EP-A-	0485212	13-05-92
	EP-A-	0509079	21-10-92
	JP-A-	4283509	08-10-92
	JP-T-	5503312	03-06-93
25-11-87	JP-A-	62283917	09-12-87
20-12-89	AU-B-	621374	12-03-92
	AU-A-	3626789	14-12-89
	AU-B-	627461	27-08-92
	AU-A-	3626989	14-12-89
	AU-B-	626876	13-08-92
	17-02-94 17-02-94 23-12-93 08-12-93 19-05-93 07-09-88 01-08-90 02-11-88	17-02-94 AU-B- 17-02-94 FR-A- 23-12-93 AU-B- 08-12-93 DE-A- NO-A- 19-05-93 AU-A- CA-A- JP-A- 01-08-90 DE-A- JP-A- US-A- 02-11-88 DE-A- DE-A- JP-A- US-A- 29-05-92 AU-A- AU-B- AU-A- EP-A- EP-A- JP-A- 20-12-89 AU-B- AU-A- AU-B- AU-	Name

EP-A-0346993 AU-A- 3632989 14-12-89 EP-A- 0346994 20-12-89 EP-A- 0346995 20-12-89 JP-A- 2034699 05-02-90 JP-A- 2034700 05-02-90 JP-A- 2038500 07-02-90 US-A- 5147576 15-09-92 EP-A-0291262 17-11-88 DE-D- 3885149 02-12-93	TP-A-0346993 AU-A- 3632989 14-12-89 EP-A- 0346994 20-12-89 EP-A- 0346995 20-12-89 JP-A- 2034699 05-02-90 JP-A- 2034700 05-02-90 JP-A- 2038500 07-02-90 US-A- 5147576 15-09-92	Patent dogument				· · · · · · · · · · · · · · · · · · ·	
EP-A- 0346994 20-12-89 EP-A- 0346995 20-12-89 JP-A- 2034699 05-02-90 JP-A- 2034700 05-02-90 JP-A- 2038500 07-02-90 US-A- 5147576 15-09-92 EP-A-0291262 17-11-88 DE-D- 3885149 02-12-93	EP-A- 0346994 20-12-89 EP-A- 0346995 20-12-89 JP-A- 2034699 05-02-90 JP-A- 2034700 05-02-90 JP-A- 2038500 07-02-90 US-A- 5147576 15-09-92 IP-A-0291262 17-11-88 DE-D- 3885149 02-12-93 DE-T- 3885149 24-02-94						
	DE-T- 3885149 24-02-94	EP-A-0346993		EP-A- EP-A- JP-A- JP-A- JP-A-	0346994 0346995 2034699 2034700 2038500	20-12-89 20-12-89 05-02-90 05-02-90 07-02-90	
		EP-A-0291262	17-11-88	DE-T-	3885149	24-02-94	

Form PCT/ISA/210 (petant family annex) (July 1992)